FACILITY SAIFETY Essentials





When OSHA visits a facility, typically the first observation they will make is with regard to general housekeeping of your fa-

cility. That means they're paying attention to hazard communications, signage, and visual warning barriers. If your facility checks all the boxes when it comes to general housekeeping, that tells OSHA that, at least on the surface, you keep your facility relatively in-line with proper safety protocol. Unfortunately, most workplaces don't check all the boxes.

Are you taking the proper steps to ensure this isn't the case for your facility?

In addition to general compliance, it's also important to remain aware of the potential danger caused by inadequate visual barriers or signage within your facility. Nationally, on average, three work zone fatalities occur every day. The single biggest factor is due to inattentions to surroundings, which could be the result of poor traffic safety and the improper use of temporary traffic control devices.

What can you do to mitigate the possibility of injury in your workplace? For starters, make sure you have proper visual barriers around your workplace to alert anyone on the floor—this goes for both indoor and outdoor work zones, as these visual cues create an easily recognizable and immediate warning.

JBC cones and cone bars can be used to set up an inexpensive temporary barrier around hazardous or controlled areas. These cone bars are extremely versatile—workers should be able to set up a square barrier in less than a minute. In addition, Mr. Chain® chains also act as a visual warning barrier for industrial aisles, loading docks, and more. It is a cost-effective tool for creating an effective, high-visibility obstacle.

When used with Mr. Chain® stanchions or chain connector clips, you can create an effective crowd control barrier and/or warning barrier for pedestrian safety. The stanchions and magnet ring/carabiner kit are for use indoors or outside.

What else do you need to secure your work zone? From flashlights and lockout devices, to marking paint and dome mirrors, we have everything you need to maintain worker and facility safety. This catalog details some essential items you need to ensure complete safety in your workplace.

> www.conney.com/facilityessentials **TO LEARN MORE**

Traffic Cones: Reflective or Non-Reflective Collar, Lime or Orange

These heavy-duty all-weather cones are constructed of 100% PVC, Cones stack for easy storage. Meet federal MUTCD standards.



Cone Bar

locked in.

The Cone-Bar is extremely versatile for roadside or utility works use, construction sites, parking lots, pedestrian areas, and more. Using four traffic cones and four Cone Bars, a worker can set up a square barrier in less than a minute. The unit is retractable, so it adjusts in length and can be easily





Facilities & Traffic

Workwear •

Chain, various lengths

1.5" and 2" standard plastic chain is made with UV protectant added to resist fading and to maintain the integrity of the material. Available in multiple color options and lengths.

Magnet Ring & Carabiner

Mr. Chain® magnet rings and carabiners allow you to quickly hang chain between two objects.



BRADY®

Changing Spill Clean-Up

The Brady SPC® HandySorb Mop System delivers a better way to clean up hard-to-reach spills. Unlike other systems, this clean-up product eliminates kneeling and gets the job done in three simple steps—snap on, absorb, and release.

Also for your clean-up needs, be sure to check out our SpillFix™ Absorbents, which are made of 100% recycled material. Effective on hydrocarbons, water-based fluids, and most aggressive chemicals. Lightweight and easy to deploy.



Personal Protective Equipment

Hand Protection

Protective Clothing 12

Head Protection

Training 1





better identified through proper signage. If you work for a larger company, you may even want to consider an onsite walk-through in conjunction with a sign survey—many companies are surprised to discover that their facility signage, including exit signs and evacuation documentation, is pretty inadequate. Our Safety Services Team can help ensure hazard communication and signage is in compliance in your facility. Contact us today with your questions!

We offer a variety of Direct Safety® signs that you can customize to reflect your facility's safety signage needs and goals. Customize your signs through the Conney Customization Tool on Conney.com! Signs are available in materials such as self-stick polyester, self-stick vinyl, plastic, aluminum, and fiberglass. Choose the material that works best for your environment.

LEARN MORE AT www.conney.com/customizeit



DS300 Series Marking



This fast drying marking paint uses a patented technology to cut the environmental impact in half. Paint produces vivid marks, does not clog, and is safe for grass. Meets APWA color standards.



Se-Kure-View Indoor/ **Outdoor Convex Detection** Mirrors



Convex Detection Mirrors are designed to prevent intersection accidents in industrial indoor environments. and add increased security and surveillance in outdoor spaces. They are economical, lightweight, and long-lasting.

> Interested in an even wider view? Check out *DomeVex* Detection Mirrors.



Dualie® 3AA Flashlight

The Streamlight® Dualie® 3AA flashlight allows you to see what's ahead of you and around you. It produces a focused spot light and soft flood light to illuminate your work area and help to avoid slips, trips, and falls. Three output modes: Spot, flood, and both (spot and flood simultaneously).

Streamlight® Enduro Pro HAZ-LO® Headlamp

The Streamlight® Enduro® Pro HAZ-LO® is a low-profile headlamp with Class I, Div 1 safety ratings. Three lighting modes cover a variety of tasks: spot for a focused beam, flood for soft area illumination that won't tire your eyes and spot/flood combo for even more light output.



Master Lock® Group Lock Box

The Master Lock® Group Lock Box with Wall Mounting Bracket helps facilities manage the placement and movement of group lock boxes to protect people. It can be used wherever it's needed.



STREMLIGHT 🗵

Master Lock® Wall Mounting Bracket

The Master Lock® Wall Mounting Bracket is designed for use with the Group Lock Box. This bracket can be a replacement for the one that comes with the Group Lock Box.

Master Lock® Retractable Cable Lockout

The retractable cable lockout device is ideal for electrical lockouts and features a tough, 9' flexible nylon core cable with plastic coating. Designed with a built-in Cable Management System, the take-up reel and internal ratcheting mechanism only allow for tension to be increased on the cable even after safety padlocks are applied.



Pass the Message Along With Motorola Radios



Motorola radios provide your work environment with a competitive communications edge, enhancing employee efficiency, safety, and performance. Take communication to the next level in your facility and check out these options today!

Motorola® RM Series Business Two-Way Radios, multiple styles

Meets military standards for high resistance to dust, moisture, shock, and vibration.

Motorola® RM Series Accessories: 6-Unit Charger and Cloner

This station with LED battery status light lets you charge up to six radios simultaneously. The smart-charge feature detects when there are fewer than six radios in the charger and allows for faster charging.









A question you may face on a number of work environments—both indoor and outdoor—is, "How well can others see me?" Wearing the proper amount of hi-vis apparel AND choosing the right color can sometimes mean the difference between life and death.

Amount of hi-vis material

An ANSI 107 compliant Class 2 traffic safety vest or shirt has a very specific amount of background material (fluorescent yellow-green, fluorescent orange-red, or fluorescent red). The garment must also have a specific amount (square inches) of retro-reflective striping (think of this as crushed glass glued into stripes). The stripes do not glow in the dark, but will reflect back to a light source, so you can clearly see these stripes jump out at you from a distance. If a customer pays more to get a Class 3 garment, it simply has more background material and reflective striping. For liability reasons, many safety professionals are starting to outfit their workers in Class 3 garments.

Choosing the right color

As mentioned, there are technically three official colors used for ANSI compliant clothing; however, let's keep it simple and say you select either lime or orange. Now, envision one of the many work zones you have walked or driven through. Chances are you've encountered countless orange cones, signs, and barrels. Suppose a worker needs to stand or work near a number of orange barrels, and he puts on an orange traffic safety vest. In reality, you would not be able to see him nearly as well as if he were wearing a lime vest. So, contrasting colors does make sense. Granted, it's also common to see many lime cones, signs, and barrels in a work zone, so you have to look at both options. Another concept might be to wear a vest that has both orange and lime (two-tone) on it!

One other thing we want to remind you of is that wearing hi-vis PPE is not exclusive to outdoor environments, such as roadways and construction sites. Many companies have now made it standard practice for hi-vis PPE to be worn at all times in their warehouse and indoor manufacturing environments. We encourage you to take this on as a common routine in your facility.

www.conney.com/facilityessentials

TO LEARN MORE



Cor-Brite™ Comfort Stretch Type R, Class 2&3, **Hi-Vis T-Shirts: Lime**



These Type R, Class 2 and 3, high-visibility Comfort Stretch t-shirts feature 2" segmented heat transfer reflective tape with gray side panels and a V-neck. The ultralight, polyester/spandex Comfort Stretch fabric features moisture vapor transmission that wicks away sweat, keeps workers cool, and dries quickly. ANSI/ISEA 107.





GloWear® 8215BA Type R Class 2 Econo Breakaway Vests: Lime, Orange

Ergodyne® Glowear® 8215BA Type R Class 2 Econo Breakaway vest features hook-and-loop breakaway on shoulders and sides. Made with ANSI-compliant polyester mesh material (3.3oz).

Chill-Its® 8935MF Evaporative Class Headwear: **Hi-Vis Microfiber Ranger Hat**

Keep a cool head. Wide brim and vented mesh side panels, lined with an advanced microfiber material for the ultimate in cooling relief. Easily activated by running under water for one minute.



Class 2 High-Vis 5-Point Breakaway Vest: Lime

This Class 2 vest features five-point hook-andloop design fasteners on the shoulders, sides and front of the vest that break-away when pulled upon. Vests are constructed of polyester mesh with 2" silver reflective tape. Vests also offer 2 interior pockets.



TINGLEY

Class 2 &3 High-Vis **Two-Tone Vests: Lime**

TINGLEY





KleenGuard™ Maverick™ **Safety Glasses**

Frame Colors:



With KleenGuard™ Maverick™ Safety Eyewear's stylish looks and durable, lightweight construction, you don't have to sacrifice looking good to be safe. The anti-glare coating eliminates glare and reflections to reduce eye fatigue, and the lenses are hardcoated for scratch resistance and longer life. Meets the ANSI

Z87.1+ standards.

Lens Colors:



a custom fit.



Kohesion Safety Glasses feature a wraparound lens that brings together an unobstructed field of

vision and superior side protection. Non-slip rubber temple tips and an integrated nosepiece produce

Kohesion Safety Glasses **DIRECTSAFETY**









8511 N95 Respirator with Exhalation Valve

This disposable N95 particulate respirator features the proprietary 3M™ Cool Flow™




Helium™ Metal Detectable Safety **Glasses: 80% VLT SuperCoat Anti-Fog Polycarbonate Lens**



Valve and helps provide comfortable, reliable worker respiratory protection. ELVEX® Helium lightweight, adjustable length safety glasses feature exclusive blue 80% VLT indoor tint. Popular for hot/dusty work settings that require long periods This blue tint provides some level of visual detectability in foods while still providing high VLT for use of wear. Additional features include adjustable indoors in adequate lighting. Meets ANSI Z87 and CE EN-166 Class 1 optics.







single point single-point design, and lightweight construction.

Safety Glasses and Readers



This versatile safety eyewear offers the flexibility to fit any face shape. One-piece wraparound polycarbonate lens produces full brow protection and a wide, unobstructed field of vision, Dakota Readers are available as well.

Safety Glasses

Frame Colors:



Reader Safety Glasses Frame Colors:

Lens Colors:





Lens Colors:





Did you know that although some of the gloves in mechanics, impact, and anti-vibration categories appear to be very similar, there are some distinct features and requirements that set them apart for specific applications?

Impact gloves can be designed to address impacts to both the back and the palm side of the hand. Some impact gloves are made with knuckle guards and impact pads to protect the back of the hand. These gloves will often have some type of padding on the palm as well.

Impact gloves can also just have gel or foam padded palms and may be full fingered or fingerless. The fingerless style allows for greater dexterity while the full finger style provides greater protection for the hand and fingers. Applications include oil drilling, automotive, and heavy manufacturing environments.

In 2019, the voluntary standard ANSI/ISEA 138 was published. While not an OSHA-type requirement, this standard allows glove manufacturers to standardize what they are offering and end-users to begin comparing products on the level they are rated.

ANSI/ISEA 138 is designed to establish minimum performance, classification, and labeling requirements for hand protection products designed to protect the knuckles and fingers from impact forces while performing occupational

Anti-vibration gloves will normally have a special gel or foam padding in the palm and should be full fingered in order to provide proper protection from repetitive impacts and vibrations that can lead to HAVS (Hand-Arm Vibration Syndrome). Applications include use of powered, pneumatic, and hydraulic hand tools (including jack hammers and hammer drills for concrete).

Finally, **mechanics gloves** offer a variety of options that sometimes include features similar to the above categories. General mechanics gloves made from leather/synthetic leather offer basic protection and good grip but other styles may also include features such as a padded palm or knuckle guards that we saw in the previous categories. Applications include automotive and utility work.

> www.conney.com/facilityessentials **TO LEARN MORE**
































1494 TrueFit TPR-Padded **Goatskin Mechanics Gloves**

Thermoplastic rubber pads on the knuckle, fingers, thumb, and back of hand produce added impact protection. The goatskin padded double palm extends to the base of the fingers for increased protection from abrasions and impact. Double reinforced fingertips on both sides maximize protection and dexterity.

1475 TrueFit Cowhide Mechanics Gloves

tion where fit, comfort, and protection

duces longer life and greater gripping

leather for improved handling and

increased wear protection.

HandMax Safety®

Mechanics Gloves

This resilient and versatile glove features a

dual layer, anti-slip grip palm that has

added durability for longevity in high-

wear areas. Form fitting spandex keeps

the Hi-Vis color and reflective strips add

the hand cool and comfortable, while

visibility.

power. Fingertips are covered in smooth

Tilman TrueFit Gloves are great for any applica-

are paramount. A cowhide double palm pro-



TILLMAN

TILLMAN

1498 TrueFit TPR-Padded **High-Visibility Mechanics Gloves**







X15 Dyneema® Gloves





TILLMAN













Great for handling tools and other equipment, the HM® Impact features a one-piece DNX Grip that provides a better grip and cut resistance. The palm is double-stitched for added durability. Flexible thermoplastic rubber protects the back of the hand, finger, and thumb from impacts.

HM® Impact Mechanics Glove















CESTUS.

ARMORED GLOVES









TILLMAN 24C Top Grain Kidskin TIG Gloves



Premium top grain pearl kidskin leather enhances feel and durability. Gloves are unlined for maximum feel and dexterity. Gloves are Kevlar® stitched for added strength. 4" gauntlet cuff offers added protection to the wrist.



TILLMAN 50 Top Grain Cowhide MIG Gloves Insulate your hands during welding operations. Gloves are

constructed of a top grain cowhide palm with cowhide split reinforcements. A fleece lining provides added insulation in hot or cold conditions. Added features include a cowhide split back with elastic for best fit and a seamless forefinger for comfort.











15-1 Transient Anti-Vibration Gloves

around 50Hz (3000rpm), making this the perfect glove for operat-

ing rivet guns, impact wrenches, and impact hammers. Forms to

Designed to provide vibration protection in palm from

the shape of your hand for greater dexterity.

Black Label™ ANSI A4

Cut Resistant Gloves

Impact Vibration Gloves

The Eureka Impact Vibration glove provides vibration protection with an anti-vibration pad in the palm and lower fingers. Designed with educational grip print and cotton lining on the back of the hand for spark protection.







TILLMAN

42 Top Grain Pigskin MIG Gloves



Pigskin gloves are ideal for wet and oily conditions. The palm is unlined for dexterity, while the back is foam/cotton lined for added heat protection. Gloves are Kevlar® stitched for added strength. 4" gauntlet cuff offers added protection to the wrist.









Outlaw™ Driver Gloves

Cordova Outlaw™ Premium Grain Cowhide Driver gloves offer protection from rough objects, sparks, and heat, and cushioning from blows in heavy-duty work environments. Gloves are unlined, with a shirred elastic back and keystone thumb for additional wear and comfort.







The sleek Cordova BLACK LABEL™ GOLD glove is constructed of 13-gauge, HPPE yarn, interwoven with steel fibers for added strength and durability. The resulting high-performance shells are cut and abrasion-resistant with excellent tactile sensitivity. ANSI level A4 cut resistance.



TenActiv™18-Gauge Composite Filament Fiber Foam Nitrile Palm Cut-Resistant Gloves



high-strength composite yarns that are lint-free and stronger than steel on an equal weight basis. The polyurethane-coated palms provide a secure grip and boost puncture resistance, all without adding bulk or reducing touch sensitivity. Designed to meet a range of applications.





Nitrile Grip Cut-Resistant Gloves



TenActiv™ Hi-Viz Composite Knit Micropore





Drivers Gloves



Leather Drivers gloves offer protection from rough objects, sparks, and heat, as well as protection from blows in heavy-duty work environments.



Glove Endura® Goatskin TIG Welder's **Kevlar® Lined Hand Gloves**



Endura® goat grain Tig Welder's gloves are made from incredibly durable and tough goatskin. The fine-gauge inter lock-knit Kevlar® lining is cut and sewn for a precise fit that won't interfere with touch sensitivity and dexterity so critical for welders.



WeldTech TX® Glove

Weldtech TX® is here for welders who use multiple tools along with the traditional

welding equipment. For added fire

and heat resistance, these gloves are

made from reliable cowhide leather. To

allow the use of power and impact tools,

on the palms to absorb vibrations.

the Hexagonal Memory Gel® padding is







TenActiv™ 18-Gauge **Cut-Resistant Foam Nitrile Palm Gloves**





superiorglove

TenActiv™ 13-gauge cut-resistant gloves utilize micropore technology by infusing the nitrile coating with millions of tiny pores. These pores displace oils and liquids when pressed against smooth surfaces, and create a suction that further increases grip. The coated palms also boost puncture and abrasion resistance. ANSI level A5 cut-resistance.









superiorglove



Deep Impact Driver® Goatskin Leather Glove



Deep Impact Driver® has supple goatskin leather on the palm and back of the hand for durability, comfort, and increased dexterity. Impact protection on the fingers, knuckles, and back of hand gives wearers the protection they need without losing dexterity.





















Dagger

Dagger TR Cut-Resistant Polyurethane Gloves

Get great cut protection and outstanding abrasion and tear resistance during metal handling, glass handling, auto motive work, parts assembly, and more, with the Direct Safety® Dagger TR PU Cut-Resistant Gloves. ANSI level A2 cut-resistance.

Dagger NF Cut-Resistant Foam Nitrile Gloves

Direct Safety® Dagger NF Cut-Resistant Gloves are constructed with extra-tough 13-gauge HPPE and glass fibers for maximum strength combined with minimum weight. ANSI level A4 cut-resistance.

Dagger PU Cut-Resistant Polyurethane Gloves

The Direct Safety® Dagger PU Cut-Resistant Gloves are constructed with HPPE fiber, and are polyurethane coated to produce hand protection with cut/slash protection and gripping power. ANSI level A2 cut-resistance.



DIRECTSAFETY.



Did you know that OSHA requires PPE assessments? Under the General Industry standards (1910.132-138), OSHA requires employers to conduct and document hazard assessments for each job (some refer to this as a JSA or Job Safety Analysis). It is both a regulation and a very basic safety principle; you have to know what the hazards are if you are going to protect employees from them.

A hazard assessment is done by breaking a job into each task and then determining the hazard present as each task is performed. Example: opening a box with a box cutter. Do you have to position the box a certain way (based on the size or style)? Is the box heavy? Do you have to lift it from one level to another? When you are cutting it open, is your hand without the knife exposed to a cut hazard or is there a possibility that you will cut past the box and hit your leg or other body part? Is there a possibility that something could get into your eyes?

Since you have identified a cut hazard, is there a way to eliminate the hazard by how you open the box? If not, what PPE would protect the hand or the body parts? These are all things to consider when developing a hazard assessment.

It is much more complicated when your assessment reveals a respiratory hazard. You have to know how much contaminant is in the air to determine what level of protection is needed, but you still have to evaluate to know how to protect.

Once you have determined your hazards accurately, you can evaluate the level of protection needed for specific tasks. You can decide the cut level of the glove, bump cap or hard hat, steel toed shoes with or without metatarsal protection, safety glasses, goggles, or face shield, etc. It all starts with an accurate hazard assessment and knowing what the hazards are. Our Safety Services Team is here to assist with and implement such assessments. Contact us today for more information!

LEARN MORE AT

www.conney.com/facilityessentials



90 Series ProChaps™: 33", 36", & 39" Chaps



These lightweight, flexible, and strong chaps are constructed of 420 denier nylon fabric. The Prolar™ protective pads combine a unique fiber composition with special weaving to create one of the most effective chainsaw protective pads on the market. Chaps meet ASTM standards.

TINGLEY

Flite™ Safety Toe Boot with Cleated Outsole







KleenGuard™ A30 Breathable Splash and Particle Protection Coveralls feature breathable fabric and reflex design, offering excellent fit (with elastic back) and freedom of movement. The material is strong and abrasion-resistant, and filters out many water-based liquids and dry particles.



Tyvek® 400

Tyvek® 400 Coveralls provide protection from non-hazardous light liquid splashes, aerosols, and dry particles. Use this clothing for food processing, spray painting/finishing operations, lead and asbestos abatement. mold remediation. and other applications. With DuPont™ Tyvek® 400 Coveralls,

there's no shortage

of selection—some


we have available.

coveralls feature hoods.

boots, elastic wrists, and more.

Shop the multiple style options

Coverall Collection





ProShield NexGen™ Polyolefin Apron: 28"W X 36"H

DuPont ProShield® NexGen® Aprons are made of Polyolefin, a lighter weight composite of breathable film and non-woven fabric. Polyolefin provides protection against non-hazardous dry particles and some hazardous liquids and aerosols.

DuPont™ Tyvek® Apron: 28"W X 36"L

DuPont Tyvek® Aprons protect clothing from dust and dirt in industrial settings.







by employee quota. SmartCompliance® is easy to monitor and maintain with - Compliance: Simplifies compliance with OSHA regulations and ANSI standards

- Consistency: Know what your first aid requirements will be

• Flexibility: Adjustable for a wide variety of industries - Innovation: Changing the way businesses manage first aid

• Long-Dated: U.S. manufacturing ensures the freshest components

- Organization: Easily accessible, simple to maintain system

- Savings: Reduce costs over national van services by 30-60%

• Timeliness: Just-in-time manufacturing

DIRECTSAFETY First Aid Antiseptic Spray: 4 Oz. Bottle

First Aid Sprays are the convenient choice for treating minor wounds. Sprays provide more controlled spraying over the wound and reduce waste. First Aid Antiseptic Spray helps prevent infection in minor

cuts, scrapes, and burns.



DIRECTSAFETY Biohazard Spill Kit: Disposable

Protect personnel who are attending to injured or ill employees, and provide a safe method to clean up and dispose of bodily fluids. Biohazard spill kits will handle up to a 2 gallon spill.



DIRECTSAFETY 32 Oz. Double Emergency Eye Wash Station

These highly visible stations mount easily near specific hazards in the workplace. The sterile, buffered solution is able to neutralize varying quantities of acids and caustics. Provides immediate flushing until worker can reach a flushing station.





DIRECTSAFETY

Crusader First Aid Kit

Your first line of defense in promoting the safety of your business is the Crusader First Aid Kit. Contents exceed the 2015 ANSI Class A requirements.















its patented SmartTab® indicator that tells you when and what to reorder.

www.conney.com/facilityessentials

CHECK OUT



DIRECTSAFETY

Decatur First Aid Kit

Get all the essential items you need to treat basic first aid problems at an economical price. Contents exceed the 2015 ANSI Class A requirements.











Contractor First Aid Kit

Keep all your jobsite first aid products together in this 25-person Contractor First Aid Kit. Contents exceed the 2015 ANSI Class A requirements.





Dalton First Aid Kit

This ANSI compliant first aid kit holds all 18 ANSI required items and is designed for use in small offices, vehicles, and worksites. A list of contents can be permanently affixed inside the lid for easy restocking. The case features a gasket and an easy-to-carry handle, yet is also wall mountable for quick access in an emergency. Contents fit snugly to prevent shifting, and single-use packaging ensures that products do not become contaminated. Contents exceed the 2015 ANSI Class A requirements.











DIRECTSAFETY









DBI-Sala® Nano-Lok™ Self-Retracting Lifeline: Snap Hook, Cab Mount Anchor, 6'



Replace your lanyard to reduce fall distances and improve your safety program with this self-retracting lifeline. Unit is ergonomically designed for ease-of-use and is ideal for direct connection to most harnesses. Should a fall occur, a velocity-sensing brake system will activate stopping the fall within inches and reducing the forces imposed on the user to 900 lbs. or less. The impact indicator allows the user to visually inspect the unit for a fall.



Protecta® Comfort Vest-Style Harness, Quick Connect Chest Buckle, Tongue Leg Buckle, Back D-Ring, Back Pad

Features a fixed back D-ring to minimize workday readjustment and moisture-wicking, breathable back padding. Plus, there's tongue-buckle leg connection and quick-connect chest connection. Specially designed for added comfort and convenience, these harnesses are rated for 420 lbs (190 kg).



Sun Brims: multiple styles



The Snap Brim sunshade is the only one of its kind. Certain models are arc tested to ASTM F2178 Standards: At 33 cal/cm2 no ignition. SNAP BRIM is light weight causing no long-term wearer fatigue and very easy to use. The durable brim can be attached and detached in seconds and stays firmly attached in windy environments and will not flap in the wind.



The Smarter Way to Train

Conney Safety has partnered with J.J. Keller & Associates, Inc., to bring you best-in-class safety training on a broad range of topics. Backed by regulatory experts and using the latest techniques and technology, these training solutions give your employees the proper instruction they need. This gives you the ability to enhance your safety program and stay on top of regulatory compliance.

Utilize the capability to access KellerOnline and Online Training 24/7. For self-paced learning, use Online Courses. For instructor-led training, use Video On-Demand. For safety program management, use KellerOnline. With any choice, you'll get up-to-date content developed by experienced training specialists.



Since 1953

SALE POLICIES*

Shipping Charge.

All orders are shipped FOB Madison, WI, unless otherwise specified. Products considered hazardous for shipping by the U.S. DOT require special packing; additional shipping charges may apply. For expedited shipping, please contact our Customer Service Department at 800-356-9100 for details.

Sales Tax Required for Sales tax required for al, az, ar, ca, co, fl, ga, hi, ia, il, in, ks, ky, la, ma, md, me, mi, mn, mo, ms, nc, nd, ne, nv, nv, oh, ok, pa, ri, sd, th, tx, ut, va, vt, wa, wi.

ALABAMA, ARKANSAS, CALIFORNIA, FLORIDA, GEORGIA, HAWAII, INDIANA, KANSAS, KENTUCKY, LOUISIANA, MARYLAND, MASSACHUSETTS, MICHIGAN, MINNESOTA, MISSISSIPPI, MISSOURI, NEBRASKA, NEVADA, NEW YORK, NORTH CAROLINA NORTH DAKOTA, OHIO, OKLAHOMA, PENNSYLVANIA, RHODE ISLAND, SOUTH DAKOTA, TENNESSEE, TEXAS, VERMONT, VIRGINIA, WASHINGTON and WISCONSIN customers: Add sales tax on the total merchandise, including shipping and handling charges.

ARIZONA, COLORADO, ILLINOIS, IOWA, MAINE AND UTAH customers: Add sales tax on the total merchandise only.

Pricing and Quantity Discounts

Products, prices, and photographs are subject to change without notice. Quantity Discounts do not apply when combining sizes, colors, styles, etc.

Returns and Exchanges — CALL 800-356-9100

If for any reason you are dissatisfied with your order, call us within 60 days of the sale date for resolution of the problem and for return shipping instructions. You must contact Conney Safety's Customer Service Department prior to returning any products. Items must be returned within 30 days of the Return Goods Authorization date. All returns must be shipped prepaid, in resalable condition, and are subject to inspection for damage or misuse prior to issuance of a credit or refund. Special order and drop ship items are subject to the prior approval and the returned goods policy of the manufacturer, which may include restocking fees. Items with custom artwork or imprints and custom ordered locks are not returnable, unless the return is due to our error.

Convenient Hours

Our Customer Service Department is available from 7:00 a.m. to 6:00 p.m. CT (Mon – Fri) for taking orders, order assistance, and product questions. Take advantage of our Same Day Shipment on credit approved orders by placing your order by 5:00 p.m. CT (Mon – Fri) at 800-356-9100. Of course, our web site, www.conney.com, is available 24/7. If you're not sure which product to use in your specific application, we offer free Technical Support from 7:30 a.m. to 4:30 p.m. CT (Mon – Fri) at 800-462-1947.

Privacy Policy

Conney Safety will occasionally send catalogs, e-mail, and/or faxes to individuals who have given us their contact information. From time to time we trade names and addresses but not telephone, email, or fax information with other reputable companies whose products or services might interest you. If you would prefer not to receive catalogs, e-mails, or faxes from Conney Safety or would like your name excluded from being traded, please call us at 800-356-9100 or send us an email (please include your name and mailing address in the message) at safety@conney.com.

We collect click-stream data and HTTP protocol elements through access logs. This information is not personally identifiable and is used for website and system administration including: research and development, user analysis, and business decision-making. We place cookies on all website visitor hard drives to collect aggregate information on the number of visitors to our site and the number of pages viewed. Cookies can be removed through the tools available on your internet browser.

Please contact us at csmgmt@conney.com if you feel any aspect of this information privacy policy has been violated.

*By placing your order with Conney Safety, you agree to the Policies set forth above, as well as those on Conney Safety's website and WESCO's website. Conney's policies and terms and conditions are subject to change without notice. Please review the Terms and Conditions of Use contained on our website at www.conney.com for the most recent terms applicable to your order. Terms and Conditions are subject to all applicable rules, regulations, approvals, and certifications in effect from time to time.



3202 Latham Drive, P.O. Box 44190 Madison, WI 53744-4190

CUSTOMER NUMBER



Creating Safer Work Environments™

Conney Safety is one of the largest distributors of products and equipment designed to help keep people safe in the workplace. Conney is relatively unique in that safety is all we sell. This combination of size and specialization brings you powerful advantages, including:

- A complete selection of safety products
- On-site safety consultation services and trainings
- Outstanding customer service
- Fast, dependable delivery
- Expert technical support from Certified Safety Professionals (CSPs)
- Repair and rental services available
- State-of-the-art eCommerce solutions

When you work with Conney, you not only get the highest quality safety products, you get a partner that delivers solutions to all your safety needs. Let Conney's experts assist you in making the right choices for your safety concerns!

www.conney.com

1.800.356.9100